

XBO 4000 W/HPNL OFR

XBO HPN | Xenon short-arc lamps for digital cinema projection





Product datasheet

Technical data


Electrical data

Construction wattage	4 kW	
Nominal wattage	4000 W	
Nominal voltage	33 V	
Nominal current	120.00 A	
Current control range	90125 A	

Light technical data

		-
ı	Nominal luminous flux	185000 lm

Dimensions & weight



Product line drawing

Diameter	55.0 mm	
Light center length (LCL)	144.0 mm	
Length	345.0 mm	
Length with base excl. base pins/connection	308.00 mm	
Mounting length	345.0 mm	

Lifespan

Lifespan	1100 h
----------	--------

Additional product data

Base (standard designation)	SFa27/SFaX27	
Base anode (standard designation)	SFaX27-9.5	
Base cathode (standard designation)	SFa27-20	

Product datasheet

Arc stability, horizontal	Yes
Picto Projection	Yes

Capabilities

Burning position	s15/p15	
Cooling	Forced	

Product datasheet



Burning position

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4052899134829	XBO 4000 W/HPNL OFR	Shipping carton box	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.