



## XDC 4500 N

### Product family description

Digital Xenon Cinema lamps – Bring movies to life Digital Xenon Cinema lamps are ideal for today's demanding 3D and 2D digital cinema presentations. These lamps produce the very high light output needed to maximize screen brightness and enhance the dramatic effect for the viewer. These digital lamps are individually customized per projector: there is a different, perfect-fitting lamp for each projector model to ensure optimized projector performance. These long-life digital lamps also provide constant color temperature characteristics, and meet all of the stringent arc-stability requirements for consistent customer satisfaction.

### Product Features

- Higher light output than standard lamps
- Customized by projector model
- Pure xenon fill gas
- Proprietary electrode design

### Product Benefits

- Increased brightness on the screen
- Optimum projector performance
- Constant color temperature
- High arc stability


Product data	
Order code	302141 00
Full product name	XDC 4500 N
Packing type	Unpacked
Pieces per pack	1
Net weight per piece	0.905 KG
Successor order code	
Operating Position	p15
Main Application	Cinema
Additional Information	DN
Packing Type	UNP [Unpacked]
Packing Configuration	1
Average Lifetime	1000 hr
Lamp Wattage	4500W

# PHILIPS


Product data	
Technical Type	4500
Lamp Wattage Technical	4500 W
Lamp Voltage	33 V
Lamp Current	140 A
Luminous Flux Lamp	- Lm



XDC-4500N

**XDC 4500W DN**

Operating Position p15



XDC-4500N

**XDC 4500W DN**

	A	B	C	D	E	O
Full product name	Nom	Max	Max	Nom	Nom	Nom
XDC 4500 N	170	387	425	70	-	6.0

	X
Full product name	Nom
XDC 4500 N	750



©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000