

# Philips LTIX 6002W HS

## Product family description

Standard Xenon Cinema lamps – sunlight quality, alwaysThe Standard Xenon Cinema lamp's pure, white light has the same spectral distribution as the sun, to ensure that vibrant, natural colors are faithfully presented. The pure xenon gas used in these standard cinema projector lamps ensures constant color properties for the entire lifetime of the lamp. The result? Excellent screen presentations time after time. In addition, the high arc stability ensures flicker-free operation and a great viewing experience for the audience. And, because hot re-strike is possible, the lamp is available to perform at any time.

#### **Product Features**

- Pure Xenon fill gas
- Approximately 6000K color temperature
- Hot restrike
- High arc stability

#### **Product Benefits**

- Constant color properties for the life of the lamp
- Pure, white light, matching the spectra distribution of the sun
- Hot re-ignition is possible ensuring the availability of the light at any time
- Provides flicker-free operation

Product data					
Order code	302431 00				
Full product name	Philips LTIX 6002W HS				
Packing type	Unpacked				
Pieces per pack	1				
Net weight per piece	1.075 KG				
Successor order code					
Operating Position	hor/ver15 [Horizontal or vertical +/- 15 degrees]				
Main Application	Cinema				
Additional Information	Short lamp				
Packing Type	UNP [Unpacked]				
Packing Configuration	1				
Average Lifetime	500 hr				




Product data						
Lamp Wattage	6002VV					
Technical Type	6000					
Lamp Wattage Technical	6000 W					
Lamp Voltage	37 V					
Lamp Current	160 A					
Luminous Flux Lamp	350000 Lm					






Philips LTIX 6002W/7000W Short lamp



**Operating Position hor/ver15** 





LTIX 4500W, 5000W, 6002W, 7000W HS

Philips LTIX 4500W/5000W/6002W/7000W Short lamp

	А	В	С	D	Е	F
Full produc t name	Nom	Max	Max	Nom	Nom	Nom
Philips LTIX 6002 W HS	170.5	393	433	78	370	30

	F1	G	Н	х
Full product name	Nom	Nom	Nom	Nom
Philips LTIX 6002W HS	30	9.5	7.9	370



### ©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. Document order number : 0000 000 00000